## Mozilla Thunderbird

Tá ið tú hevur installera fílin, kemur hetta vindeyga fram. Trýst á Skip this and use my existing email.

"Continuint - B. Mar	W Chat & Aldera Gash   10 Teg 1   7 Sect	tim - Invelocity	2 8	20 71 10	
	Thunderbird			20 m2017 (	(1)
	Edwall GOM: Chevropour	in feets		~ lody	
	Treate a new catendar			<ul> <li>Increasing (3 days)</li> </ul>	
-	darw's Particled		×		
	Would you like a new email address	?			
		Search			
	In partners op with several providers, the average your from and lead series, or any other works avera CO galaxies of	o can off whe you is now remain particular. And they is the fields across to get started.			
	The second locate and an end to MARIA (http: peak of transferring a location of bickets to be	Pydysyl and ha feel and y morely provident. And hilds describe the state			
	This first and use on existing points	LUNCTRATING IN MILLING			
	2				
			_		

- 1. Skriva navnið hjá tær her
- 2. Skriva teldupost addressuna her
- 3. Skriva loyniorðið her og trýst á Continue

Mail Account Setup	:	×
Your <u>n</u> ame: Email address:	Titt navn her 1 Your name, as shown to others skrivateldupostin@her.fo 2	
Password:	3	
	V Kemember password	
Get a new acco	ount Cancel	

Trýst á Manual config

Mail Account Setup				×
Your name:	Títt navn her	Your name, as	shown to othe	ers
Email address:	skrivateldupostin@her.fo			
Password:	•••••			
	Remember password			
Looking up con	figuration: Trying common s	erver names 🔇	<b>)</b>	
Get a new acco	Manual confin	Stop	Continue	Cancel
get a new acco	Manual config	Stob	Zouquae	Cancel

- 1. Vel IMAP og skriva .olivant.fo undir Server Hostname
- 2. Vel Portur 993 og SSL/TLS
- 3. Vel Normal Password

## SMTP

- 1. Skriva .olivant.fo
- 2. Vel portur 465 og vel SSL/TLS
- 3. Vel Normal Password

Username fyri Incoming og Outgoing mail er teldupost addressan hjá tær.

Account Setup								
Your name:	Títt navn	her Your na	ime, as si	hown to	oth	ers		
Email address:	skrivateld	upostin@her.fo						
Password:	•••••							
	Reme	mber password						
Thunderbird	failed to	find the settings for your e	mail acco	ount.				
		,						
		, ,						
		Server hostname		Port	_	SSL		Authentication
Incoming:	MAP ~	Server hostname .olivant.fo		Port 993	~	SSL SSL/TLS	~	Authentication Normal password
Incoming: II Outgoing: SI	MAP ~	Server hostname .olivant.fo .olivant.fo	~	Port 993 465	~	SSL SSL/TLS SSL/TLS	~	Authentication Normal password V
Incoming:    Outgoing: SI Usemame: In	MAP ~ MTP	Server hostname .olivant.fo .olivant.fo skrivateldupostin@her.fo	~	Port 993 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password V Normal password V skrivateldupostin@her.fo
Incoming: II Outgoing: SI Usemame: In	MAP V MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@her.fo	~	Port 993 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password V Normal password V skrivateldupostin@her.fo
Incoming: II Outgoing: SI Usemame: In	MAP v MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@her.fo		Port 993 465	~	SSL SSL/TLS SSL/TLS Outgoing:	> >	Authentication Normal password V Normal password V skrivateldupostin@her.fo
Incoming: II Outgoing: SI Usemame: In	MAP v MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@her.fo	~	Port 993 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password V Normal password V Skrivateldupostin@her.fo
Incoming: II Outgoing: SI Usemame: In Get a new acco	MAP v MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@her.fo dvanced config	~	Port 993 465	~	SSL SSL/TLS SSL/TLS Outgoing: Re-tes	~ ~	Authentication Normal password V Normal password V Skrivateldupostin@her.fo

- 4. Vel POP og skriva .olivant.fo undir Server Hostname
- 5. Vel Portur 995 og SSL/TLS
- 6. Vel Normal Password

## SMTP

- 4. Skriva .olivant.fo
- 5. Vel portur 465 og vel SSL/TLS
- 6. Vel Normal Password

Username fyri Incoming og Outgoing mail er teldupost addressan hjá tær.

									>
Your name:	Títt navn k	her Ye	our name, as	shown t	o oth	ers			
Email address:	skrivateldu	upostin@her.fo							
Password:	•••••								
	Remen	nber password							
A. Thunderbird	l failed to f	ind the settings for y	our email a	ccount.					
		ing the second proof	our crimina	ccountr					
		Server hostname		Port		SSL		Authentication	
Incoming: P	OP3 V	Server hostname .olivant.fo		Port 995	~	SSL SSL/TLS	Ŷ	Authentication Normal password	~
Incoming: P Outgoing: SI	OP3 V MTP	Server hostname .olivant.fo .olivant.fo	×	Port 995 465	~	SSL SSL/TLS SSL/TLS	~ ~	Authentication Normal password Normal password	~
Incoming: P Outgoing: SP Username: In	OP3 ↓ MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@h	∽ er.fo	Port 995 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password Normal password skrivateldupostin@h	~ ] ~ er.fo
Incoming: P Outgoing: SP Username: In	OP3 ~ MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@h	√ ver.fo	Port 995 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password Normal password skrivateldupostin@h	v J v er.fo
Incoming: P Outgoing: SI Username: In	OP3 ~ MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@H	√ ver.fo	Port 995 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password Normal password skrivateldupostin@h	✓
Incoming: P Outgoing: SI Username: In	OP3 ~ MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@h	√ ier.fo	Port 995 465	~	SSL SSL/TLS SSL/TLS Outgoing:	~	Authentication Normal password Normal password skrivateldupostin@h	er.fo
Incoming: P Outgoing: Si Username: In Get a new acco	OP3 ~ MTP coming:	Server hostname .olivant.fo .olivant.fo skrivateldupostin@h	√ ver.fo	Port 995 465	~	SSL SSL/TLS SSL/TLS Outgoing: Re-ter	~ ~	Authentication Normal password Normal password skrivateldupostin@h Done Can	er.fo

Trýst síðani á **Done**, so verða innstillingarnar kannaðar, og um alt er rætt er telduposturin uppsettur.